# HP Color LaserJet Managed MFP E785dn



#### Powerful, Flexible, Secure,

Change is the only constant in business. Advance your business with a printer that can be upgraded over time to expand capabilities. With HP's most secure printers 'you'll stay secure and simplify fleet management for busy IT pros.



# Unleash peak productivity.

- Tackle anything with our powerful processor. Maximize your productivity and increase your overall print performance by copying, scanning and printing
  documents of all sizes at virtually full speed.
- Increase your day-to-day productivity with our industry leading, single pass 120 ipm <sup>2</sup> duplex scanning.
- Easily enable workflows across your fleet with a consistent user experience and intuitive, tablet-like icons on the 8-inch color touchscreen display.
- Maintain productivity and stay up to date on the latest features across your fleet with upgradeable HP FutureSmart <sup>3</sup> firmware.

# Customizable solutions built to last.

- Make your day-to-day more productive with customized experiences with cloud-connected HP Workpath apps <sup>4</sup> that let you access personalized content, integrate paper and digital workflows.
- Unleash your creativity and match any office decor with modern designs and the option of five customizable color panels.
- Give your team what they need to succeed with the HP Open Extensibility Platform, containing hundreds of HP and third-party solutions as well as card reader support
- Make color management simple & seamless with our HP Custom Color Manager. Match color output of any document/device combination without the hassle of expensive color matching systems.

# Always on guard with HP Wolf Security. 5


- With HP Sure Start always working behind the scenes, the operating code (BIOS) is automatically checked during start-up and repairs itself if compromised.
- The printer's outgoing network connections are inspected to stop suspicious requests and thwart malware so you can stay connected and in the clear.
- Run-time intrusion detection is always on guard. Common Criteria certified <sup>6</sup> to continually monitor memory activity to keep you safe, detecting and stopping attacks in real time.
- HP Memory Shield™ is an embedded security feature that helps prevent a wide variety of malware attacks from redirecting the execution flow of a program.

## Better printing, for a better planet.

- The fiber-based packaging, including outer box and interior fiber-based cushions, for this product is 100% sustainably sourced, meaning it's made from recycled or certified content. 7
- Our devices are made with the planet in mind with energy-efficient printing and toner cartridges made from more than 57% recycled plastic. Printing that puts the planet first
- Our improved energy efficient designs meet the rigorous criteria of EPEAT Silver, Energy Star, and Blue Angel.<sup>9</sup>
- With formulas that meet current indoor air quality standards, our ultra-low melt toner is efficient for both printing and the planet.

# Product walkaround

- 1. Flatbed scanner handles sheets up to 11x17-inch (297 x 432 mm)
- 2. 500-sheet output bin
- 3. Automatic two-sided printing
- 4. Easy-access USB port<sup>1</sup>
- 5. Front door access to toner cartridges
- 6. Slot for cable-type security lock
- 7. Super Speed USB 3.0 Host Port
- 8. Hi-Speed USB 2.0 Host Port
- 9. Gigabit Ethernet Port
- 10. Hi-Speed USB 2.0 device port
- 11. 520-sheet tray 3 supports media sizes up to A3 (11x17-inch)
- 12. 100-sheet dual side ADF supports media sizes up to A3 (11x17-inch)
- 13. 8-inch color touchscreen display (20.3 cm)
- 14. Power button
- 15. Hardware Integration Pocket(for connecting accessory and third-party devices)<sup>2</sup>
- 16. Right door access to the print path
- 17. 100-sheet multipurpose tray 1 supports media sizes up to A3 (11x17-inch)
- 18. 520-sheet tray 2 supports media sizes up to A4 (Letter)
- 19. Optional 2 x 520-sheet dual tray/stand supports media sizes up to A3 (11x17-inch)



# Series at a glance

Model	HP Color LaserJet Managed MFP E785dn	
Product number	5QJ83A	5QJ83A (Base) + 8EP54AAE(Speed license)
Print speed (A4 and letter, black and color) <sup>3</sup>	Up to 23 ppm	Up to 28 ppm
Scan speed (A4 and letter, black and color)4	60 ppm/120 ipm, simplex/duplex (both models)	
Functions	Print, copy, and scan (fax and wireless optional) (both models)	

# Top features

Get more done faster with leading printing, scanning and copying speeds, maximum uptime – powered by HP's custom designed quad-core processor.

Tailored on-device and cloud connected solutions to help optimize your workflows with flexibility to support your workforce today and evolve to meet your demands for tomorrow.

HP Wolf Enterprise Security provides the world's most secure printing through industry leading multi-layer, self-healing security that protects, detects, and adapts to new threats. We keep trouble out so you can keep your business running.

Save resources with our energy efficient printing that meets EPEAT Silver, Blue Angel and Energy Star standards; supporting HP's goal for carbon neutrality and a fully sustainable economy.

# Services and Solutions

Service and Support	U99LGE HP 1 year Next Business Day with DMR Service for Color LaserJet Managed MFP E785xx U35LFE HP 3 year Next Business Day with DMR Service for Color LaserJet Managed MFP E785xx U36LGFE HP 4 year Next Business Day with DMR Service for Color LaserJet Managed MFP E785xx U36LGF HP 5 year Next Business Day with DMR Service for Color LaserJet Managed MFP E785xx U36LGF HP 5 year 4 hour 9x5 with DMR Service for Color LaserJet Managed MFP E785xx U36LJF HP 4 year 4 hour 9x5 with DMR Service for Color LaserJet Managed MFP E785xx U36LJF HP 5 year 4 hour 9x5 with DMR Service for Color LaserJet Managed MFP E785xx U36LJF HP 5 year 4 hour 9x5 with DMR Service for Color LaserJet Managed MFP E785xx U36LJF HP 5 year Parts Exchange w/DMR SVC for Color LaserJet Managed MFP E785xx U36LJF HP 9 year Parts Exchange w/DMR SVC for Color LaserJet Managed MFP E785xx (Managed Component Only) U36LMF HP 3 year Parts Exchange w/DMR SVC for Color LaserJet Managed MFP E785xx (Managed Component Only) U36LQF HP 5 year Parts Exchange w/DMR SVC for Color LaserJet Managed MFP E785xx (Managed Component Only) U36LQF HP 5 year Post Warranty Next Business Day with DMR Service for Color LaserJet Managed MFP E785xx U36LJF HP 1 year Post Warranty Next Business Day with DMR Service for Color LaserJet Managed MFP E785xx U36LJF HP 1 year Post Warranty A hour 9x5 with DMR Service for Color LaserJet Managed MFP E785xx U36LJF HP 1 year Post Warranty A hour 9x5 with DMR Service for Color LaserJet Managed MFP E785xx U36LJF HP 1 year Post Warranty A hour 9x5 with DMR Service for Color LaserJet Managed MFP E785xx U36LJF HP 1 year POST Warranty MSD WARRANT DMR Service for Color LaserJet Managed MFP E785xx U36LJF HP 1 year POST Warranty A hour 9x5 with DMR Service for Color LaserJet Managed MFP E785xx U36LJF HP 1 year POST Warranty A hour 9x5 with DMR Service for Color LaserJet Managed MFP E785xx U36LJF HP 1 year POST Warranty A hour 9x5 with DMR Service for Color LaserJet Managed MFP E785xx U36LJF HP 1 year POST Warranty A hour 9x5 with DMR Service for Color LaserJ
Solutions	Security: HP Access Control; HP Security Manager; HP Advance; HP Secure Print and Insights  Mobile and universal print: HP Universal Print Driver (UPD); HP Print for Chrome Extension; HP Smart UPD; HP For Universal Print Workpath App  Management: HP Web JetAdmin; HP Smart Device Services (SDS); Embedded Web Server; HP Custom Color Manager; HP Command Center; HP Smart Printer Administrator's Resource Kit

<sup>2</sup> An administrator must enable the easy-access USB port before use. 3 Solutions deployed through the Hardware htegration Pocket (HP) may require additional purchase. 4 Measured using 50/IEC 24734, excludes first set of test documents. For more information, seehp. com go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

	erJet Managed MFP E785dn
Accessories	1900AA HP Color Laser Jet Workgroup Ex320 sheet Paper Tray/Stand Lunar Gray Color Panel 1900AA HP Laser Jet Workgroup Stand Lunar Gray Color Panel 1900AA HP Laser Jet Workgroup Stand Lunar Gray Color Panel 1900BA HP Color Laser Jet Workgroup Stand Lunar Gray Color Panel 1900BA HP Laser Jet Workgroup Dx520 sheet Paper Tray/Stand Cornet Red Color Panel 1900BA HP Laser Jet Workgroup Stand Cornet Red Color Panel 1900BA HP Laser Jet Workgroup Stand Cornet Red Color Panel 1900BA HP Laser Jet Workgroup Stand Cornet Green Color Panel 1900BA HP Laser Jet Workgroup Dx520 sheet Paper Tray/Stand Cornic Green Color Panel 1900BA HP Laser Jet Workgroup Stand Cornet Iden Workgroup Stand Cornet Iden Workgroup Cornet Iden Workgroup Cornet Iden Workgroup Cornet Iden Workgroup Stand Cornet Iden Workgroup Cornet Iden Workgroup Cornet Iden Workgroup Stand Cornet Iden Workgroup Cornet Iden Workgroup Stand Cornet Iden Workgroup Iden Workgroup Stand Cornet Iden Workgroup Iden Workgroup Stand Cornet Iden Workgroup Iden Workgroup Stand Stand Iden Workgroup Iden Workgroup Stand Iden Workgroup Stand Stand Iden Workgroup Iden Workgroup Stand Workgroup Iden Workgroup Iden Workgroup Stand Workgroup Iden Iden Workgroup Iden Iden Iden Iden Iden Iden
Speed Licenses	8EPS4AAE HP Color LaserJet Managed MFP E785 23 to 28ppm License

# Data sheet | HP Color LaserJet Managed MFP E785dn **Technical specifications**

E M					
Functions	Print, copy, scan, fax (optional)	Up to 22 ppm	Links 20 ppgs (with OFDE 4AAF)		
Print speed <sup>2,3</sup>	Letter Black Letter Color	Up to 23 ppm Up to 23 ppm	Up to 28 ppm (with 8EP54AAE) Up to 28 ppm (with 8EP54AAE)		
	A4 Black	Up to 23 ppm	Up to 28 ppm (with 8EP54AAE)		
	A4 Color	Up to 23 ppm	Up to 28 ppm (with 8EP54AAE)		
	First page out Letter Black	As fast as 10.7 sec	As fast as 9.6 sec (with 8EP54AAE)		
	First page out Letter Color	As fast as 13.0 sec	As fast as 11.6 sec (with 8EP54AAE)		
	First page out A4 Black	As fast as 10.7 sec	As fast as 9.6 sec (with 8EP54AAE)		
Print resolution	First page out A4 Color	As fast as 13.0 sec	As fast as 11.6 sec (with 8EP54AAE)		
	Black (best): Up to 1200 x 1200 dpi reduced speed; Black (normal): Up to 600 x 600 dpi; Black (fine lines): Up to 1200 x 1200 dpi; Color (best): Up to 1200 x 1200 dpi reduced speed; Color (normal): Up to 600 x 600 dpi; Color (fine lines): Up to 1200 x 1200 dpi				
Print technology	Laser; <b>Optical:</b> Normal (600 x 600 4 bit); Best (1200 x 1200 1 bit)				
Print cartridges number	4 (1 each black, cyan, magenta, yellow)				
Standard print languages	HP PCL 5c, HP PCL 6, HP Postscript level 3 emulation, PDF (v 1.7), AirPrint™ compatible				
Printer smart software features	Print preview, duplex printing, print multiple	pages per sheet (2, 4, 6, 9, 16), collation, watermark	ks, store print jobs, easy-access USB		
Color scanning	Yes				
Scan speed Normal <sup>6</sup>	Up to 60 ppm/120 ipm (b&w), up to 60 ppm/120 ipm (color); Up to 60 ppm/120 ipm (b&w), up to 60 ppm/120 ipm (color) <b>Duplex:</b> Up to 120 ipm (b&w), up to 12 ipm (color); Up to 120 ipm (b&w), up to 120 ipm (b&w), up to 120 ipm (color)				
Scan type / Technology	ADF; Flatbed / Contact Image Sensor (CIS)				
Scan resolution	Hardware: UP to 600 x 600 dpi; Optical: UP to	600 x 600 dpi			
Scan file format	PDF, Hi-Compression PDF, PDF/A, JPEG, TIFF, MTIFF, XPS				
Scan input modes	Front panel applications: Copy; Fax; Scan to Email; Scan to Network Folder; Scan to USB; Scan to Job Storage; Open Extensibility Platform (OXP), HP Workpath applications				
Scan Size		<b>DF Minimum:</b> 105 x 127 mm; 4.1 x 5 in <b>Flatbed:</b> 297	x 432 mm 11 69 x 17 in		
Duplex ADF scanning	Yes, single pass duplex scanning				
ADF capacity	Standard, 100 sheets				
Twain version	Version 2.4				
Bit depth / Grayscale levels	24-bit/256				
Digital sending standard		LICE driver coan to Charalleint; coan to ETD; coan t	o cETD: cean to LANIfav: cean to laternet Fav: local address hook: CMT		
features	Scan to Email; scan to network folder; scan to USB drive; scan to SharePoint; scan to FTP; scan to SFTP; scan to LAN fax; scan to Internet Fax; local address book; over SSL; automatically detect color/monochrome; high compression PDF; image adjustments (darkness, contrast, background cleanup, sharpness); optimize text/picture (text, mixed, printed picture, photograph); content orientation; scan mode (book, 2-sided ID); erase edges; auto page crop; job build; image preview; page suppression; automatically straighten				
	page suppression; automatically straighten	tograpn); content orientation; scan mode (book, 2	-sided ID); erase edges; auto page crop; job build; image preview; blan		
Copy speed		Up to 23 cpm	-sided ID); erase edges; auto page crop; job build; image preview; blan Up to 28 cpm (with 8EP54AAE)		
Copy speed	page suppression; automatically straighten  Letter Black  Letter Color	Up to 23 cpm Up to 23 cpm	Up to 28 cpm (with 8EP54AAE) Up to 28 cpm (with 8EP54AAE)		
Copy speed	page suppression; automatically straighten  Letter Black  Letter Color  A4 Black	Up to 23 cpm Up to 23 cpm Up to 23 cpm Up to 23 cpm	Up to 28 cpm (with 8EP54AAE) Up to 28 cpm (with 8EP54AAE) Up to 28 cpm (with 8EP54AAE)		
Copy speed	page suppression; automatically straighten Letter Black Letter Color A4 Black A4 Color	Up to 23 cpm	Up to 28 cpm (with 8EP54AAE)		
Copy speed	page suppression; automatically straighten  Letter Black  Letter Color  A4 Black  A4 Color  Letter Black Duplex	Up to 23 cpm Up to 16 cpm	Up to 28 cpm (with 8EP54AAE) Up to 21 cpm (with 8EP54AAE) Up to 21 cpm (with 8EP54AAE)		
Copy speed	page suppression; automatically straighten Letter Black Letter Color A4 Black A4 Color	Up to 23 cpm Up to 16 cpm Up to 16 cpm Up to 16 cpm	Up to 28 cpm (with 8EP54AAE)		
Copy speed	page suppression; automatically straighten  Letter Black  Letter Color  A4 Black  A4 Color  Letter Black Duplex  Letter Color Duplex	Up to 23 cpm Up to 16 cpm	Up to 28 cpm (with 8EP54AAE) Up to 21 cpm (with 8EP54AAE) Up to 21 cpm (with 8EP54AAE) Up to 21 cpm (with 8EP54AAE)		
Copy speed	page suppression; automatically straighten Letter Black Letter Color A4 Black A4 Color Letter Black Duplex Letter Color Duplex A4 Black Duplex A4 Color Duplex First copy out Letter Black	Up to 23 cpm Up to 16 cpm Up to 16 cpm Up to 16 cpm Up to 16 cpm	Up to 28 cpm (with 8EP54AAE) Up to 21 cpm (with 8EP54AAE)		
Copy speed	page suppression; automatically straighten Letter Black Letter Color A4 Black A4 Color Letter Black Duplex Letter Color Duplex A4 Black Duplex First copy out Letter Black First copy out Letter Color	Up to 23 cpm Up to 16 cpm Up to 16 cpm Up to 16 cpm Up to 16 cpm As fast as 7.3 sec As fast as 9.5 sec	Up to 28 cpm (with 8EP54AAE) Up to 21 cpm (with 8EP54AAE) As fast as 6.0 sec (with 8EP54AAE)		
Copy speed	page suppression; automatically straighten Letter Black Letter Color A4 Black A4 Color Letter Black Duplex Letter Color Duplex A4 Black Duplex First copy out Letter Black First copy out Letter Color First copy out A4 Black	Up to 23 cpm Up to 23 cpm Up to 23 cpm Up to 23 cpm Up to 16 cpm As fast as 7.3 sec As fast as 7.3 sec As fast as 7.3 sec	Up to 28 cpm (with 8EP54AAE) Up to 21 cpm (with 8EP54AAE)		
	page suppression; automatically straighten Letter Black Letter Color A4 Black A4 Color Letter Black Duplex Letter Color Duplex A4 Black Duplex First copy out Letter Black First copy out Letter Color First copy out A4 Black First copy out A4 Color	Up to 23 cpm Up to 23 cpm Up to 23 cpm Up to 23 cpm Up to 16 cpm As fast as 7.3 sec As fast as 7.3 sec As fast as 9.5 sec As fast as 9.5 sec As fast as 9.5 sec	Up to 28 cpm (with 8EP54AAE) Up to 21 cpm (with 8EP54AAE) As fast as 6.0 sec (with 8EP54AAE)		
Copy resolution	page suppression; automatically straighten Letter Black Letter Color A4 Black A4 Color Letter Black Duplex Letter Color Duplex A4 Black Duplex A4 Color Duplex First copy out Letter Black First copy out Letter Color First copy out A4 Black First copy out A4 Color Black (text and graphics):; Up to 600 × 600 d	Up to 23 cpm Up to 23 cpm Up to 23 cpm Up to 23 cpm Up to 16 cpm As fast as 7.3 sec As fast as 7.3 sec As fast as 7.3 sec	Up to 28 cpm (with 8EP54AAE) Up to 21 cpm (with 8EP54AAE) As fast as 6.0 sec (with 8EP54AAE)		
Copy resolution Maximum number of copies	page suppression; automatically straighten  Letter Black  Letter Color  A4 Black  A4 Color  Letter Black Duplex  Letter Color Duplex  A4 Black Duplex  A4 Color Duplex  A4 Color Duplex  First copy out Letter Black  First copy out Letter Color  First copy out A4 Black  First copy out A4 Color  Black (text and graphics):; Up to 600 x 600 d  5 Up to 9999 copies	Up to 23 cpm Up to 23 cpm Up to 23 cpm Up to 23 cpm Up to 16 cpm As fast as 7.3 sec As fast as 7.3 sec As fast as 9.5 sec As fast as 9.5 sec As fast as 9.5 sec	Up to 28 cpm (with 8EP54AAE) Up to 21 cpm (with 8EP54AAE) As fast as 6.0 sec (with 8EP54AAE)		
Copy resolution	page suppression; automatically straighten  Letter Black  Letter Color  A4 Black  A4 Color  Letter Black Duplex  Letter Color Duplex  A4 Black Duplex  A4 Color Duplex  A4 Color Duplex  First copy out Letter Black  First copy out Letter Black  First copy out A4 Black  First copy out A4 Color  Black (text and graphics):; Up to 600 x 600 d  5 Up to 9999 copies  25 to 400%  Auto-fit; Booklet; Collation; Content orientation	Up to 23 cpm Up to 16 cpm Up to 16 cpm Up to 16 cpm Up to 16 cpm As fast as 7.3 sec As fast as 9.5 sec As fast as 9.5 sec As fast as 9.5 sec Is fast as 9.5 sec	Up to 28 cpm (with 8EP54AAE) Up to 21 cpm (with 8EP54AAE) As fast as 6.0 sec (with 8EP54AAE) As fast as 6.0 sec (with 8EP54AAE)  As fast as 6.0 sec (with 8EP54AAE)		
Copy resolution Maximum number of copies Copier resize Copier settings	page suppression; automatically straighten Letter Black Letter Color A4 Black A4 Color Letter Black Duplex Letter Color Duplex A4 Black Duplex A4 Black Duplex A4 Color Duplex A7 Color Duplex A8 Black Duplex A9 Color B1 Co	Up to 23 cpm Up to 23 cpm Up to 23 cpm Up to 23 cpm Up to 16 cpm Up to 16 cpm Up to 16 cpm Up to 16 cpm As fast as 7.3 sec As fast as 9.5 sec As fast as 9.5 sec pi; Color (text and graphics): Up to 600 x 600 dpi	Up to 28 cpm (with 8EP54AAE) Up to 21 cpm (with 8EP54AAE) As fast as 6.0 sec (with 8EP54AAE) As fast as 6.0 sec (with 8EP54AAE)  As fast as 6.0 sec (with 8EP54AAE)		
Copy resolution  Maximum number of copies  Copier resize  Copier settings  Fax speed	page suppression; automatically straighten  Letter Black  Letter Color  A4 Black  A4 Color  Letter Black Duplex  Letter Color Duplex  A4 Black Duplex  A4 Color Duplex  A7 Color Duplex  A8 Black Duplex  A9 Color Duplex  A9 Color Duplex  A1 Color Duplex  A1 Color Duplex  A2 Color Duplex  A3 Color Duplex  A4 Color Duplex  A5 Color Duplex  A6 Color Duplex  A7 Color Duplex  A8 Color Duplex  A9 Color Duplex  A1 Color Duplex  A1 Color Duplex  A1 Color Duplex  A2 Color Duplex  A3 Color Duplex  A4 Color Duplex  A5 Color Duplex  A6 Color Duplex  A6 Color Duplex  A7 Color Duplex  A8 Color Duplex  A9 Color Duplex  A1 Color Duplex  A2 Color Duplex  A3 Color Duplex  A4 Color Duplex  A5 Color Duplex  A6 Color Duplex  A6 Color Duplex  A7 Color Duplex  A6 Color Duplex  A7 Color Duplex  A7 Color Duplex  A8 Color Duplex  A1 Color Duplex  A1 Color Duplex  A1 Color Duplex  A2 Color Duplex  A3 Color Duplex  A6 Color Duplex  A6 Color Duplex  A7 Color Duplex  A6 Color Duplex  A7 Color Duplex  A6 Color Duplex  A7 Color Duplex  A8 Color Duplex  A6 Color Duplex  A7 Color Duplex  A8 Color Duplex  A9 Color	Up to 23 cpm Up to 16 cpm Up to 16 cpm Up to 16 cpm Up to 16 cpm As fast as 7.3 sec As fast as 9.5 sec As fast as 9.5 sec In fact as	Up to 28 cpm (with 8EP54AAE) Up to 21 cpm (with 8EP54AAE) As fast as 6.0 sec (with 8EP54AAE) As fast as 6.0 sec (with 8EP54AAE) As fast as 6.0 sec (with 8EP54AAE)		
Copy resolution Maximum number of copies Copier resize Copier settings	page suppression; automatically straighten  Letter Black  Letter Color  A4 Black  A4 Color  Letter Black Duplex  Letter Color Duplex  A4 Black Duplex  A4 Color Duplex  A4 Color Duplex  A7 Color Duplex  A8 Black Duplex  A9 Black Duplex  A9 Black Duplex  A1 Color Duplex  A1 Color Duplex  A1 Color Duplex  A2 Color Duplex  A3 Color Duplex  A4 Color Duplex  A5 Color Duplex  A6 Color Duplex  A7 Color Duplex  A8 Color Duplex  A9 Color  Black (text and graphics):; Up to 600 x 600 d  A1 Up to 9999 copies  25 to 400%  Auto-fit; Booklet; Collation; Content orientatics Contend (book, 2-sided ID); Stamps; Image  Up to: 33.6 kbps / Letter: 3 sec per page  Black (best): Up to 300 x 300 dpi (400 x 400  Fax memory: Up to 500 pages; Up to 500 pages  Fax forwarding supported: Yes Fax phone TAI	Up to 23 cpm Up to 16 cpm Up to 16 cpm Up to 16 cpm Up to 16 cpm As fast as 7.3 sec As fast as 9.5 sec As fast as 9.5 sec As fast as 9.5 sec pi; Color (text and graphics): Up to 600 x 600 dpi con; Edge Erase; Image adjustment; Job build; N or Z e overlay; Image shift; Image preview; Paper selection dpi for received faxes only); Black (standard): 203 years Auto fax reduction supported: Yes Auto-redialin Minterface supported: Yes Auto-redialin Minterface supported: Yes Paper selection	Up to 28 cpm (with 8EP54AAE) Up to 21 cpm (with 8EP54AAE) As fast as 6.0 sec (with 8EP54AAE) As fast as 6.0 sec (with 8EP54AAE) As fast as 6.0 sec (with 8EP54AAE)		
Copy resolution Maximum number of copies Copier resize Copier settings Fax speed Fax resolution	page suppression; automatically straighten  Letter Black  Letter Color  A4 Black  A4 Color  Letter Black Duplex  Letter Color Duplex  A4 Black Duplex  A4 Color Duplex  A4 Color Duplex  A5 Elack Duplex  A6 Color Duplex  A7 Color Duplex  A7 Color Duplex  A8 Elack Duplex  A9 Elack Duplex  A9 Elack Duplex  First copy out Letter Black  First copy out Letter Color  First copy out A4 Black  First copy out A4 Color  Black (text and graphics):; Up to 600 x 600 d  Up to 9999 copies  25 to 400%  Auto-fit; Booklet; Collation; Content orientatic Scan mode (book, 2-sided ID); Stamps; Image  Up to: 33.6 kbps / Letter: 3 sec per page  Black (best): Up to 300 x 300 dpi (400 x 400)  Fax memory: Up to 500 pages; Up to 500 pages  Fax forwarding supported: Yes Fax phone TAI supported: Yes Maximum speed dialing numb No Telephone handset supported: No	Up to 23 cpm Up to 16 cpm Up to 16 cpm Up to 16 cpm Up to 16 cpm As fast as 7.3 sec As fast as 9.5 sec As fast as 9.5 sec As fast as 9.5 sec in; Color (text and graphics): Up to 600 x 600 dpi  por; Edge Erase; Image adjustment; Job build; Nor Zeroverlay; Image shift; Image preview; Paper selection dpi for received faxes only); Black (standard): 203 xeros Auto fax reduction supported: Yes Auto-redialing winterface supported: No Fax polling supported: Yesers: Up to 1000 numbers (each with 210 destination)	Up to 28 cpm (with 8EP54AAE) Up to 21 cpm (with 8EP54AAE) As fast as 6.0 sec (with 8EP54AAE) As fast as 6.0 sec (with 8EP54AAE)  As fast as 6.0 sec (with 8EP54AAE)  As fast as 6.0 sec (with 8EP54AAE)  As fast as 6.0 sec (with 8EP54AAE)		
Copy resolution  Maximum number of copies Copier resize Copier settings  Fax speed Fax resolution Fax Features	page suppression; automatically straighten  Letter Black  Letter Color  A4 Black  A4 Color  Letter Black Duplex  Letter Color Duplex  A4 Black Duplex  A4 Color Duplex  A4 Color Duplex  A7 Color Duplex  A8 Elack Duplex  A9 Elack Duplex  Elist copy out Letter Black  Elist copy out A4 Elack  Elist copy out A4 Color  Black (text and graphics): ; Up to 600 x 600 d  Elack (text and graphics): ; Up to 600 x 600 d  Elack (text and graphics): ; Up to 500 x 600 d  Elack (best): Up to 300 x 300 dpi (400 x 400)  Elack (best): Up to 500 pages; Up to 500 pages  Fax forwarding supported: Yes Fax phone TAI  Supported: Yes Maximum speed dialing numb  No Telephone handset supported: No  1 Gigabit Ethernet 10/100/1000T network; 1	Up to 23 cpm Up to 16 cpm Up to 16 cpm Up to 16 cpm Up to 16 cpm As fast as 7.3 sec As fast as 9.5 sec As fast as 9.5 sec As fast as 9.5 sec in; Color (text and graphics): Up to 600 x 600 dpi  pon; Edge Erase; Image adjustment; Job build; N or Ze overlay; Image shift; Image preview; Paper selection dpi for received faxes only); Black (standard): 203 x es Auto fax reduction supported: Yes Auto-redialin Minterace supported: No Fax polling supported: Yes res: Up to 1000 numbers (each with 210 destination Hardware Integration Pocket 2nd generation (HIP2)	Up to 28 cpm (with 8EP54AAE) Up to 21 cpm (with 8EP54AAE) As fast as 6.0 sec (with 8EP54AAE) As fast as 6.0 sec (with 8EP54AAE) As fast as 6.0 sec (with 8EP54AAE)  As fast as 6.0 sec (with 8EP54AAE)  As fast as 6.0 sec (with 8EP54AAE)  Secondary (with 8EP54AAE)  As fast as 6.0 sec (with 8EP54AAE)  As fast as 6.0 sec (with 8EP54AAE)  Secondary (with 8EP54AAE)  As fast as 6.0 sec (with 8EP54AAE)  Secondary (with 8EP54AAE)  As fast as 6.0 sec (with 8EP54AAE)		
Copy resolution  Maximum number of copies Copier resize Copier settings  Fax speed Fax resolution Fax Features  Standard connectivity	page suppression; automatically straighten  Letter Black  Letter Color  A4 Black  A4 Color  Letter Black Duplex  Letter Color Duplex  A4 Black Duplex  A4 Color Duplex  A4 Color Duplex  First copy out Letter Black  First copy out Letter Color  First copy out A4 Color  Black (text and graphics):; Up to 600 x 600 d  Up to 9999 copies  25 to 400%  Auto-fit; Booklet; Collation; Content orientati Scan mode (book, 2-sided ID); Stamps; Image  Up to: 33.6 kbps / Letter: 3 sec per page  Black (best): Up to 300 x 300 dpi (400 x 400  Fax memory: Up to 500 pages; Up to 500 pag  Fax forwarding supported: Yes Fax phone TAI supported: Yes Maximum speed dialing num No Telephone handset supported: No  1 Gigabit Ethernet 10/100/1000T network; 1 SuperSpeed USB 3.0 (host)	Up to 23 cpm Up to 16 cpm Up to 16 cpm Up to 16 cpm Up to 16 cpm As fast as 7.3 sec As fast as 9.5 sec As fast as 9.5 sec As fast as 9.5 sec pi; Color (text and graphics): Up to 600 x 600 dpi  con; Edge Erase; Image adjustment; Job build; N or Zeroverlay; Image shift; Image preview; Paper selection dpi for received faxes only); Black (standard): 203 xes Auto fax faxing the faxes of the faxes only); Black (standard): 203 xes Auto fax faxing the faxes only); Black (standard): 203 xes Auto fax faxing the faxes only); Black (standard): 203 xes Auto fax faxing the faxes only); Black (standard): 203 xes Auto fax faxing the faxes only); Black (standard): 203 xes Auto fax reduction supported: Yes Auto-reduction supported: Yes Auto-r	Up to 28 cpm (with 8EP54AAE) Up to 21 cpm (with 8EP54AAE) As fast as 6.0 sec (with 8EP54AAE) As fast as 6.0 sec (with 8EP54AAE) As fast as 6.0 sec (with 8EP54AAE)  As fast as 6.0 sec (with 8EP54AAE)  As fast as 6.0 sec (with 8EP54AAE)  Secondary (with 8EP54AAE)  As fast as 6.0 sec (with 8EP54AAE)  As fast as 6.0 sec (with 8EP54AAE)  Secondary (with 8EP54AAE)  As fast as 6.0 sec (with 8EP54AAE)  Secondary (with 8EP54AAE)  As fast as 6.0 sec (with 8EP54AAE)		
Copy resolution  Maximum number of copies Copier resize Copier settings  Fax speed Fax resolution Fax Features  Standard connectivity  Network capabilities	page suppression; automatically straighten  Letter Black  Letter Color  A4 Black  A4 Color  Letter Black Duplex  Letter Color Duplex  A4 Black Duplex  A4 Color Duplex  A4 Color Duplex  A4 Color Duplex  A5 Color Duplex  A6 Color Duplex  A7 Color Duplex  A7 Color Duplex  A8 Elack Duplex  A9 Elack Duplex  A9 Elack Color  First copy out Letter Black  First copy out A4 Black  First copy out A4 Black  First copy out A4 Color  Black (text and graphics):; Up to 600 x 600 d  Up to 9999 copies  25 to 400%  Auto-fit; Booklet; Collation; Content orientatic  Scan mode (book, 2-sided ID); Stamps; Image  Up to: 33.6 kbps / Letter: 3 sec per page  Black (best): Up to 300 x 300 dpi (400 x 400  Fax memory: Up to 500 pages; Up to 500 pag  Fax forwarding supported: Yes Fax phone TAI  supported: Yes Maximum speed dialing numb  No Telephone handset supported: No  1 Gigabit Ethernet 10/100/1000T network; 1  SuperSpeed USB 3.0 (host)  Standard (built-in Gigabit 10/100/1000T Etheropetal Color of the Col	Up to 23 cpm Up to 16 cpm Up to 16 cpm Up to 16 cpm Up to 16 cpm As fast as 7.3 sec As fast as 9.5 sec As fast as 9.5 sec As fast as 9.5 sec pi; Color (text and graphics): Up to 600 x 600 dpi  con; Edge Erase; Image adjustment; Job build; N or Zetoverlay; Image shift; Image preview; Paper selection dpi for received faxes only); Black (standard): 203 xector fax reduction supported: Yes Auto-redialing winterface supported: No Fax polling supported: Yeses: Up to 1000 numbers (each with 210 destination Hardware Integration Pocket 2nd generation (HIP2) secret.)	Up to 28 cpm (with 8EP54AAE) Up to 21 cpm (with 8EP54AAE) As fast as 6.0 sec (with 8EP54AAE) As fast as 6.0 sec (with 8EP54AAE)  As fast as 6.0 sec (with 8EP54AAE)  As fast as 6.0 sec (with 8EP54AAE)  As fast as 6.0 sec (with 8EP54AAE)  Fordering; N-up; Optimize, Two-sided copy; Watermark; reduce/enlargen; Blank page suppression; Scan to job storage  (98 dpi gr Yes Fax delayed sending: No Distinctive ring detection supported: No Junk barries (poll to receive only) Fax telephone mode supported: No Junk barries (poll to receive only) Fax telephone mode supported: No Junk barries (poll to receive only) Fax telephone mode supported: No Junk barries (poll to receive only) Fax telephone mode supported: No Junk barries (poll to receive only) Fax telephone mode supported: No Junk barries (poll to receive only) Fax telephone mode supported: No Junk barries (poll to receive only) Fax telephone mode supported: No Junk barries (poll to receive only) Fax telephone mode supported: No Junk barries (poll to receive only) Fax telephone mode supported: No Junk barries (poll to receive only) Fax telephone mode supported: No Junk barries (poll to receive only) Fax telephone mode supported: No Junk barries (poll to receive only) Fax telephone mode supported: No Junk barries (poll to receive only) Fax telephone mode supported: No Junk barries (poll to receive only) Fax telephone mode supported: No Junk barries (poll to receive only) Fax telephone mode supported: No Junk barries (poll to receive only) Fax telephone mode supported: No Junk barries (poll to receive only) Fax telephone mode supported: No Junk barries (poll to receive only) Fax telephone mode supported: No Junk barries (poll to receive only) Fax telephone mode supported: No Junk barries (poll to receive only) Fax telephone mode supported: No Junk barries (poll to receive		
Copy resolution  Maximum number of copies Copier resize Copier settings  Fax speed Fax resolution Fax Features  Standard connectivity  Network capabilities  Wireless capability	page suppression; automatically straighten  Letter Black  Letter Color  A4 Black  A4 Color  Letter Black Duplex  Letter Color Duplex  A4 Black Duplex  A4 Color Duplex  A4 Color Duplex  A4 Color Duplex  A5 Color Duplex  A6 Color Duplex  A7 Color Duplex  A7 Color Duplex  A8 Elack Duplex  A9 Elack Duplex  A9 Elack Color  First copy out Letter Black  First copy out A4 Black  First copy out A4 Black  First copy out A4 Color  Black (text and graphics):; Up to 600 x 600 d  Up to 9999 copies  25 to 400%  Auto-fit; Booklet; Collation; Content orientatic  Scan mode (book, 2-sided ID); Stamps; Image  Up to: 33.6 kbps / Letter: 3 sec per page  Black (best): Up to 300 x 300 dpi (400 x 400  Fax memory: Up to 500 pages; Up to 500 pag  Fax forwarding supported: Yes Fax phone TAI  supported: Yes Maximum speed dialing numb  No Telephone handset supported: No  1 Gigabit Ethernet 10/100/1000T network; 1  SuperSpeed USB 3.0 (host)  Standard (built-in Gigabit 10/100/1000T Etheropetal Color of the Col	Up to 23 cpm Up to 16 cpm Up to 16 cpm Up to 16 cpm Up to 16 cpm As fast as 7.3 sec As fast as 9.5 sec As fast as 9.5 sec As fast as 9.5 sec pi; Color (text and graphics): Up to 600 x 600 dpi  con; Edge Erase; Image adjustment; Job build; N or Zeroverlay; Image shift; Image preview; Paper selection dpi for received faxes only); Black (standard): 203 xes Auto fax faxing the faxes of the faxes only); Black (standard): 203 xes Auto fax faxing the faxes only); Black (standard): 203 xes Auto fax faxing the faxes only); Black (standard): 203 xes Auto fax faxing the faxes only); Black (standard): 203 xes Auto fax faxing the faxes only); Black (standard): 203 xes Auto fax reduction supported: Yes Auto-reduction supported: Yes Auto-r	Up to 28 cpm (with 8EP54AAE) Up to 21 cpm (with 8EP54AAE) As fast as 6.0 sec (with 8EP54AAE) As fast as 6.0 sec (with 8EP54AAE)  As fast as 6.0 sec (with 8EP54AAE)  As fast as 6.0 sec (with 8EP54AAE)  As fast as 6.0 sec (with 8EP54AAE)  Fordering; N-up; Optimize, Two-sided copy; Watermark; reduce/enlargen; Blank page suppression; Scan to job storage  (98 dpi gr Yes Fax delayed sending: No Distinctive ring detection supported: No Junk barries (poll to receive only) Fax telephone mode supported: No Junk barries (poll to receive only) Fax telephone mode supported: No Junk barries (poll to receive only) Fax telephone mode supported: No Junk barries (poll to receive only) Fax telephone mode supported: No Junk barries (poll to receive only) Fax telephone mode supported: No Junk barries (poll to receive only) Fax telephone mode supported: No Junk barries (poll to receive only) Fax telephone mode supported: No Junk barries (poll to receive only) Fax telephone mode supported: No Junk barries (poll to receive only) Fax telephone mode supported: No Junk barries (poll to receive only) Fax telephone mode supported: No Junk barries (poll to receive only) Fax telephone mode supported: No Junk barries (poll to receive only) Fax telephone mode supported: No Junk barries (poll to receive only) Fax telephone mode supported: No Junk barries (poll to receive only) Fax telephone mode supported: No Junk barries (poll to receive only) Fax telephone mode supported: No Junk barries (poll to receive only) Fax telephone mode supported: No Junk barries (poll to receive only) Fax telephone mode supported: No Junk barries (poll to receive only) Fax telephone mode supported: No Junk barries (poll to receive only) Fax telephone mode supported: No Junk barries (poll to receive only) Fax telephone mode supported: No Junk barries (poll to receive		
Copy resolution  Maximum number of copies Copier resize Copier settings  Fax speed Fax resolution Fax Features  Standard connectivity  Network capabilities  Wireless capability  Mobile printing capability	page suppression; automatically straighten  Letter Black  Letter Color  A4 Black  A4 Color  Letter Black Duplex  Letter Color Duplex  A4 Black Duplex  A4 Color Duplex  A4 Color Duplex  A7 Color Duplex  A8 Elack Duplex  A9 Elack Duplex  A9 Elack Duplex  A1 Color Duplex  A1 Color Duplex  A2 Color Duplex  A3 Elack Duplex  A4 Color Duplex  A5 Elack Color  A7 Elack Color  A8 Elack Color  A8 Elack Color  Black (text and graphics): Up to 600 × 600 d  A9 Elack Color  Black (text and graphics): Up to 500 pages  Black (best): Up to 300 × 300 dpi (400 × 400)  A1 Elack Color  Black (best): Up to 300 × 300 dpi (400 × 400)  A1 Elack Color  A2 Elack Color  A3 Elack Color  A4 Elack  A5 Elack  A6 Elack  A7 Elack  A7 Elack  A7 Elack  A8 Elack  A8 Elack  A9 Elack	Up to 23 cpm Up to 16 cpm Up to 16 cpm Up to 16 cpm Up to 16 cpm As fast as 7.3 sec As fast as 9.5 sec As fast as 9.5 sec As fast as 9.5 sec ipi; Color (text and graphics): Up to 600 x 600 dpi con; Edge Erase; Image adjustment; Job build; N or Zeroverlay; Image shift; Image preview; Paper selection dpi for received faxes only); Black (standard): 203 xeroverlay; Image shift; Image preview; Paper selection dinterface supported: No Fax polling supported: Yeores: Up to 1000 numbers (each with 210 destination Hardware Integration Pocket 2nd generation (HIP2) derenet) et accessory ext Printing; NFC Touch-to-print (optional); PrinterContents	Up to 28 cpm (with 8EP54AAE) Up to 21 cpm (with 8EP54AAE) As fast as 6.0 sec (with 8EP54AAE) As fast as 6.0 sec (with 8EP54AAE)  As fast as 6.0 sec (with 8EP54AAE)  As fast as 6.0 sec (with 8EP54AAE)  As fast as 6.0 sec (with 8EP54AAE)  Fordering; N-up; Optimize, Two-sided copy; Watermark; reduce/enlargen; Blank page suppression; Scan to job storage  (98 dpi gr Yes Fax delayed sending: No Distinctive ring detection supported: No Junk barries (poll to receive only) Fax telephone mode supported: No Junk barries (poll to receive only) Fax telephone mode supported: No Junk barries (poll to receive only) Fax telephone mode supported: No Junk barries (poll to receive only) Fax telephone mode supported: No Junk barries (poll to receive only) Fax telephone mode supported: No Junk barries (poll to receive only) Fax telephone mode supported: No Junk barries (poll to receive only) Fax telephone mode supported: No Junk barries (poll to receive only) Fax telephone mode supported: No Junk barries (poll to receive only) Fax telephone mode supported: No Junk barries (poll to receive only) Fax telephone mode supported: No Junk barries (poll to receive only) Fax telephone mode supported: No Junk barries (poll to receive only) Fax telephone mode supported: No Junk barries (poll to receive only) Fax telephone mode supported: No Junk barries (poll to receive only) Fax telephone mode supported: No Junk barries (poll to receive only) Fax telephone mode supported: No Junk barries (poll to receive only) Fax telephone mode supported: No Junk barries (poll to receive only) Fax telephone mode supported: No Junk barries (poll to receive only) Fax telephone mode supported: No Junk barries (poll to receive only) Fax telephone mode supported: No Junk barries (poll to receive only) Fax telephone mode supported: No Junk barries (poll to receive		
Copy resolution Maximum number of copies Copier resize Copier settings Fax speed Fax resolution Fax Features Standard connectivity Network capabilities Wireless capability Mobile printing capability Memory Processor speed	page suppression; automatically straighten  Letter Black  Letter Color  A4 Black  A4 Color  Letter Black Duplex  Letter Color Duplex  A4 Black Duplex  A4 Color Duplex  A4 Color Duplex  A7 Color Duplex  A8 Elack Duplex  A9 Elack Duplex  A9 Elack Duplex  A1 Color Duplex  A1 Color Duplex  A2 Color Duplex  A3 Elack Duplex  A4 Color Duplex  A5 Elack Color  A7 Elack Color  A8 Elack Color  A8 Elack Color  Black (text and graphics): Up to 600 × 600 d  A9 Elack Color  Black (text and graphics): Up to 500 pages  Black (best): Up to 300 × 300 dpi (400 × 400)  A1 Elack Color  Black (best): Up to 300 × 300 dpi (400 × 400)  A1 Elack Color  A2 Elack Color  A3 Elack Color  A4 Elack  A5 Elack  A6 Elack  A7 Elack  A7 Elack  A7 Elack  A8 Elack  A8 Elack  A9 Elack	Up to 23 cpm Up to 23 cpm Up to 23 cpm Up to 23 cpm Up to 16 cpm Up to 16 cpm Up to 16 cpm Up to 16 cpm As fast as 7.3 sec As fast as 9.5 sec As fast as 9.5 sec As fast as 9.5 sec in; Color (text and graphics): Up to 600 x 600 dpi  pon; Edge Erase; Image adjustment; Job build; N or Ze overlay; Image shift; Image preview; Paper selection dpi for received faxes only); Black (standard): 203 xes Auto fax reduction supported: Yes Auto-rediation winterface supported: No Fax polling supported: Yes ers: Up to 1000 numbers (each with 210 destination described by the supported of the support of the s	Up to 28 cpm (with 8EP54AAE) Up to 21 cpm (with 8EP54AAE) As fast as 6.0 sec (with 8EP54AAE) As fast as 6.0 sec (with 8EP54AAE) As fast as 6.0 sec (with 8EP54AAE)  As fast as 6.0 sec (with 8EP54AAE)  As fast as 6.0 sec (with 8EP54AAE)  Fordering; N-up; Optimize; Two-sided copy; Watermark; reduce/enlargen; Blank page suppression; Scan to job storage  (98 dpi gr: Yes Fax delayed sending: No Distinctive ring detection supported: No section of the		
Copy resolution Maximum number of copies Copier resize Copier settings Fax speed Fax resolution Fax Features Standard connectivity Network capabilities Wireless capability Mobile printing capability Memory	Letter Black Letter Color A4 Black A4 Color Letter Black Duplex Letter Color Duplex A4 Black A4 Color Letter Black Duplex Letter Black Duplex A4 Black Duplex A4 Black Duplex A5 Black Duplex A6 Color Duplex A7 Color Duplex A7 Color Duplex A8 Black Duplex A9 Black Duplex A9 Black Duplex A9 Color Black (text and graphics): Up to 600 × 600 do A9 Up to 9999 copies A1 Color A1 Color A1 Color Black (text and graphics): Up to 600 × 600 do A1 Color A2 Color A3 Color A4 Color A1 Color A1 Color A2 Color A3 Color A4 Color A4 Color A5 Color A6 Color A6 Color A7 Color A7 Color A8 Color A9 Color A9 Color A9 Color A1 Colo	Up to 23 cpm Up to 16 cpm Up to 16 cpm Up to 16 cpm Up to 16 cpm As fast as 7.3 sec As fast as 9.5 sec As fast as 9.5 sec As fast as 9.5 sec in; Color (text and graphics): Up to 600 x 600 dpi  pon; Edge Erase; Image adjustment; Job build; N or Ze overlay; Image shift; Image preview; Paper selection dpi for received faxes only); Black (standard): 203 xes Auto fax reduction supported: Yes Auto-rediation winterface supported: No Fax polling supported: Yes exers: Up to 1000 numbers (each with 210 destination described by the supported of the suppo	Up to 28 cpm (with 8EP54AAE) Up to 21 cpm (with 8EP54AAE) As fast as 6.0 sec (with 8EP54AAE) As fast as 6.0 sec (with 8EP54AAE) As fast as 6.0 sec (with 8EP54AAE)  As fast as 6.0 sec (with 8EP54AAE)  As fast as 6.0 sec (with 8EP54AAE)  Fordering; N-up; Optimize; Two-sided copy; Watermark; reduce/enlargen; Blank page suppression; Scan to job storage  (98 dpi g; Yes Fax delayed sending: No Distinctive ring detection supported: No Junk barries (pos) PC interface supported: Yes Remote retrieval capability sup		

#### Technical specifications

Paper handling	Input Capacities: Up to 1140 sheets (Tray1: up to 100 sheets; Tray2: up to 520 sheets; Tray3: up to 520 sheets) Standard; Up to 10 envelopes;				
•	Output Capacities: Up to 500 sheets Standard; Up to 100 sheets;				
	Duplex Options: Automatic; Envelope feeder: No; Standard paper trays: 3				
Media types supported	Plain, HP EcoEFICIENT, HP Matte 90g, Light 60-74g, Bond, Recycled, HP Matte 105g, HP Matte 120g, HP Soft Gloss 120g, HP Glossy 120g, Mid-Weight 96-110g, Heavy				
	111-130g, Mid-WtGlossy 96-110g, Heavy Glossy 111-130g, HP Matte 150g, HP Glossy 150g, Extra Heavy 131-175g, XHvyGlossy 131-175g, HP Matte 200g, Card stock				
	176-220g, Color Transparency, Labels, Letterhead, Envelope, Preprinted, Pre-punched, Colored				
Media weight supported	Tray 1: 16 to 47 lb bond; Tray 2, 3: 16 to 58.5 lb bondTray 1: 60 to 176 g/m²; Tray 2, 3: 60 to 220 g/m²				
Media sizes supported	Tray 1: Letter, Letter R, Legal, Executive, Statement, Oficio8.5X13, 11 x 17, 4 x 6, 5 x 7, 5 x 8, 10 x 15, 8k, 16k, envelope #9, Envelope #10, Envelope Monarch; Tray 2:				
	Letter, Letter R, Legal, Executive, Statement, Officio, 4 x 6, 5 x 7, 5 x 8, 16k; Tray 3: Letter, Letter R, Legal, Executive, Statement, Officio, 11 x 17, 8k, 16k Tray 1: A3, A4, A4R,				
	A5, A5R, A6, RA4, B4 (JIS), B5 (JIS), B6 (JIS), Oficio, 8K, 16k, Postcard, Postcard (JIS), Envelope B5, Envelope C5, Envelope C6, Envelope D1; Tray 2: A4, A4R, A5,				
Madia Ciara Caratana	Ra4, SRA4, B4 (JIS), B5 (JIS), Oficio, 16k; <b>Tray 3</b> : A3, A4, A4R, A5, RA4, SRA4, B4 (JIS), B5 (JIS), Oficio, 8K, 16k				
Media Sizes Custom	Tray 1: 3.86 x 5.83 to 11.69 x 17 in; Tray 2: 5.48 x 8.27 to 11.69 x 14.33 in; Tray 3: 5.48 x 8.27 to 11.69 x 17 inTray 1: 98 x 148 mm to 297 x 432 mm; Tray 2: 139.7 x 210 mm to 297 x 432 mm; Tray 2: 139.7				
Milestia in the barr	210 mm to 297 x 364 mm; Tray 3: 139.7 x 210 mm to 297 x 432 mm				
What's in the box	5QJ83A In box materials, Guide install, Flyer Regulatory, Power Cords, Label, Drums.				
Replacement cartridges <sup>1</sup>	HP Black Managed LJ Toner Cartridge (ISO Yield 12,500) W9120MC, HP Cyan Managed LJ Toner Cartridge (ISO Yield 10,000) W9121MC, HP Yellow Managed LJ Toner Cartridge (ISO Yield 10,000) W9123MC, HP Black Managed LJ Toner Cartridge (ISO Yield 10,000) W9123MC				
	25,000) W9130MC, HP Cyan Managed LJ Toner Cartridge (ISO Yield 20,000) W9131MC, HP Yellow Managed LJ Toner Cartridge (ISO Yield 20,000) W9132MC, HP Magent				
	Managed LJ Toner Cartridge (ISO Yield 20,000) W9131MC, AP rettow Managed LJ Toner Cartridge (ISO Yield 20,000) W9132MC				
Product dimensions	Wxdxh: 566x646x848 mm; 22.3 x 25.4 x 33.4 in <b>Maximum</b> : 1369 x 1196 x 1171 mm; 53.9 x 47.1 x 46.1 in				
Product weight	77.8 kg: 171.5 lb				
Warranty features	90 day parts only warranty. Warranty and support options vary by product, country and local legal requirements. Contact your contractual vendor or go to				
warranty reatures	hp.com/support to learn about HP award winning service and support options in your region.				
Energy star certified	Yes				
Ecolabels	Blue Angel; IT ECO Declaration; EPEAT® registered				
Control panel	8.0-in (20.3 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle) display; Speaker				
Display description	8-in (2.0.3 cm) touchscreen, XGA Color Graphic Display (CGD)				
Software included	No software solutions are included in the Box only on http://hp.com http://123.hp.com				
Compatible operating	Windows 11: Windows 10: Windows 7: Windows Client OS; Android: iOS: Nobile OS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey				
systems	vindous 11, vindous 10, vindous 2, vindous citati 63, vindous 10, vindous 10, vindous 11 big 3d, vindous 12 vi				
Compatible network	Windows Server; Linux; Citrix; UNIX; Novell				
operating systems					
Minimum system	PC: 2 GB available hard disk space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see microsoft.com; Mac: 2 GB available				
requirements	hard drive space, Internet connection, or USB port, Internet browser. For additional OS hardware requirements see apple.com				
Power 5	Power supply type: Internal (Built-in) power supply; Power requirements: Input voltage: 110 to 127 VAC (+/-10%), 50/60 Hz (+/-3 Hz), 10.0 A 220 to 240 VAC				
	(+/-10%), 50/60 Hz (+/-3 Hz), 5.0 A 100 VAC (+/-10%), 50/60 Hz (+/-3 Hz), (Not dual voltage, power supply varies by part number with # Option code identifier); Power				
	consumption: 600 watts (23ppm, printing), 700 watts (28ppm, printing), 27.0 watts (ready), 0.8 watts (sleep), 0.2 watts (auto-off), 0.2 watts (manual-off)				
Acoustics	Acoustic power emissions: 6.58 Bel(A), printing color simplex A4 at 23ppm; 6.70 Bel(A), printing color simplex A4 at 28ppm; Acoustic Pressure Emissions (active,				
	printing): 50 dB(A), printing color simplex A4 at 23ppm; 53 dB(A), printing color simplex A4 at 28ppm; Acoustic Pressure Emissions (active scan): 53 dB(A), ADF scan				
	A4 at 60ipm				
Operating environment	Operating temperature range: 15 to 30°C; Recommended operating temperature: 15 to 30°C; Storage temperature range: -10 to 40°C; Operating humidity range: 20 to				
	80% RH; <b>Recommended humidity operating range</b> : 20 to 80% RH				

## **Messaging Footnotes**

HP's most advanced embedded security features are available on HP Managed and Enterprise devices with HP FutureSmart firmware 4.5 or above. Claim based on HP review of 2021 published features of competitive inclass printers. Only HP offers a combination of security features to automatically detect, stop, and recover from attacks with a self-healing reboot, in alignment with NIST SP 800-193 guidelines for device cyber resiliency.

For a list of compatible products, visit: hp.com/go/PrintersThatProtect. For more information, visit: hp.com/go/PrinterSecurityClaims
Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

3 Some features enabled by future HP FutureSmart firmware upgrades may not be available on older devices, if for example, physical product characteristics limit the functionality of the new feature.
4 Based on HP review of competitive manufacturer's published app platform specifications as of April 2019. Only HP Workpath offers a combination of app validation upon submission plus automated re-validation of apps.

To enable HP Workpath, some devices may require optional accessory or firmware to be upgraded. Subscription may be required.

HP Security is now HP Wolf Security. Security features vary by platform, please see product data sheet for details.

Third-party certification based on Common Criteria Information Technology Security Evaluation ISO/IEC 15408 Standard requirements as of May 2019-2024. Certification applicable to HP Managed and Enterprise devices running HP FutureSmart Firmware version 4.5.1 and later. For more information: https://www.commoncriteriaportal.org/files/epfiles/Certification%20Report%20-%20HP%20Intrusion%20Detection.pdf 200% outer fiber-based packaging and internal fiber-based cushions made from sustainably sourced certified and recycled fibers.

100% of Original HP Toner Cartridges contain between 1-77% post-consumer or post-industrial recycled content. Does not include toner bottles or other products not listed. See hp.com/go/TonerRecycledContent for list. Hardware based: Post-consumer recycled is based on the definition set in the EPEAT standard for imaging equipment, IEEE 1680.2, and is expressed as percent of total weight of plastic.

HP voluntarily designs and tests its printing systems to prevent emissions that exceed Blue Angel and EPEAT eco-label guidelines. EPEAT® registered where applicable. EPEAT registration varies by country. See http://www.epeat.net for registration status by country.

HP printer, HP paper and Original HP supply - Blue Angel DE-UZ 219 Emissions Criteria.

#### **Technical Specifications Footnotes**

- 1 Approximate average yield based on ISO/IEC 19798. Actual yield varies considerably based on content of printed pages and other factors. For details, see http://www.hp.com/go/learnaboutsupplies.

  2 Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity
- <sup>3</sup> Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

  <sup>4</sup> Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on

measurement of 115V device and 230V for Blue Angel.

Typical Electricity Consumption (TEC) rating represents the typical electricity consumed by a product during 1 week, measured in kilowatt-hours (kWh).

- Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.
- <sup>7</sup> EPEAT® registered where applicable. EPEAT registration varies by country. See http://www.epeat.net for registration status by country.













